### LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY OFFICE OF ENVIRONMENTAL SERVICES

#### STATEMENT OF BASIS<sup>1</sup>

#### PROPOSED PART 70 OPERATING PERMIT NO. 2269-V3

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255 Activity No. PER20090031

#### I. APPLICANT

The applicant is:

PPG Industries, Inc.

P. O. Box 1000

Lake Charles, Louisiana 70602-1000

Facility:

Lake Charles Complex - Derivatives Plant Common Sources

SIC Code:

2869

Location:

1300 PPG Drive

Lake Charles, Calcasieu Parish, Louisiana

Approximate UTM coordinates are 472.5 kilometers East and

3,343.5 kilometers North in Zone 15

#### II. PERMITTING AUTHORITY

The permitting authority is:

Louisiana Department of Environmental Quality

Office of Environmental Services

P.O. Box 4313

Baton Rouge, Louisiana 70821-4313

#### III. CONTACT INFORMATION

Additional information may be obtained from:

Dr. Qingming Zhang

P.O. Box 4313

Baton Rouge, Louisiana 70821-4313

Phone: (225) 219-3181

<sup>40</sup> CFR 70.7(a)(5) and LAC 33:III.531.A.4 require the permitting authority to "provide a statement that sets forth the legal and factual basis for the proposed permit conditions of any permit issued to a Part 70 source, including references to the applicable statutory or regulatory provisions."

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### IV. FACILITY BACKGROUND AND CURRENT PERMIT STATUS

PPG Industries, Inc.'s (PPG's) Lake Charles Complex is located at the intersection of I-10 and Loop I-210 near Westlake, Louisiana. The facility consists of three highly integrated business areas as described below.

Chlor/Alkali: In this area, chlorine, caustic, and hydrogen are produced through the

electrolysis of brine using diaphragm and membrane technology.

Derivatives: In this area, chlorine is combined with ethylene and ethylene derivatives to

produce chlorinated hydrocarbons and muriatic acid (hydrochloric acid).

Silicas: In this area, sand is heated with either caustic or soda ash to produce

sodium silicate, from which different grades of products are produced.

Electricity and steam required for the facility operations are produced in the Power/Utilities area. Transfer operations for raw materials and products involve the transfer to and from trucks, ships, barges, tank cars, hopper cars, and drums. Raw materials and products are also transferred via pipeline.

The Lake Charles Complex is organized into the following units/areas: VC Production. Power/Utilities. Silicas, Complex Support Facilities, Chlor/Alkali Plant, Mercury Recovery. Membrane, Derivatives Docks, Derivatives Shipping, Derivatives Plant Common Sources, Greater EDC, Waste Recovery, Per/Tri, TE-2, and Incinerators Area.

This permit will be a modification to Part 70 Operating Permit No. 2269-V2 for Derivatives Plant Common Sources, which was issued on July 28, 2009.

The Lake Charles Complex is a designated Part 70 source. It is currently operating under the following Part 70 operating permits:

Permit No.	Unit or Source	Date Issued	
2359-V1	Complex Support Facilities	07/05/2007	
2206-V0	Derivatives Docks	06/29/2006 (AA 07/28/2009)	
2270-V1	Per/Tri Unit	10/12/2009	
2269-V2	Derivatives Plant Common Sources	07/28/2009	
2231-V1	Mercury Recovery Unit	10/24/2007 (AA 01/29/2008)	
3021-V1	Membrane Unit	10/12/2009	
2085-V3	Silicas Unit	09/10/2009	
897-V1	VC Production Unit	10/12/2009	
2040-V2	Incinerators Area	05/22/2009	
2695-V1	TE-2 Unit	07/28/2009	

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

#### LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

Permit No.	Unit or Source	Date Issued
2350-V1	Greater EDC Unit	08/14/2009
2216-V0	Waste Recovery Unit	06/29/2004 (AA 11/14/2005)
2798-V1	Chlor/Alkali Plant	05/01/2009
2229-V1	Derivatives Shipping Facility	06/29/2006 (AA 07/28/2009)
2106-V2	Power/Utilities	03/20/2006 (AA 08/14/2009)

In addition, PSD Permits PSD-LA-642 (11/23/1999) and PSD-LA-637 (M-1) (5/24/2002, AA 7/28/2009)) and Acid Rain Permit 2646-IV1 (10/11/2006) were also issued to the complex.

#### V. PROPOSED PERMIT/PROJECT INFORMATION

A permit application, dated December 11, 2008, was submitted by PPG Industries, Inc. requesting a Part 70 operating permit renewal. Additional information dated December 18, 2008 was also received.

#### **Process Description**

This facility treats wastewater from the chemical production processes, maintenance activities, HSWA (Hazardous and Solid Waste Amendments) remediation activities, and stormwater resulting from rain events. It consists of the following operating systems/equipment:

#### Wastewater Collection/Transfer Facilities

The collection system for three complex stripper systems includes numerous sewer systems and their respective lift stations that collect wastewater or stormwater. The upstream portions of the collection system consist of various collection and containment devices, including trenches, hard piping, drains, manholes, and junction boxes. These upstream sewer systems are routed to the lift stations that in turn send the wastewater to the treatment systems as described below.

#### WTU Stripper System

The Wastewater Treatment Unit (WTU) stripper system consists of three steam strippers that treat nonmetals contaminated wastewater from sewer systems throughout the Derivatives area. The wastewater from the sewer collection system is sent to the WTU settlers where the water is separated from the organic phase. The water phase is sent to the WTU feed storage vessels while the organic phase is routed to another area for material recovery or reuse.

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

From the WTU feed storage vessels, the wastewater passes through a filter before entering the steam strippers for treatment. Second treatment is provided by carbon bed filters, or other necessary treatment, before water is discharged through a NPDES monitoring point. All vents from the WTU stripper system are routed to incineration either directly or via a vent compressor system. Condensed organics from this system are routed to the Waste Recovery Unit.

#### CSS Stripper System

High pH metals contaminated wastewater from the Derivatives Plant is collected and fed to the CSS (Central Steam Stripper) stripper feed storage vessels. Wastewater accumulated in the feed storage vessels is directed through one of two CSS steam strippers. Overheads from the strippers are condensed and sent to a phase separator. CSS strippers system vents are incinerated at one of the on-site incineration systems. Recovered organics from the phase separator are routed to the Waste Recovery Unit.

#### Per/Tri Steam Stripper System

Two steam strippers are used to treat acidic metals-contaminated wastewater from the Per/Tri Production Unit. The wastewater collected in the Per/Tri stripper feed storage vessels is routed through plate separator to the Per/Tri steam strippers. The Per/Tri stripper bottoms stream may be directed to acid recovery before being routed to the BAT (Best Available Technology) metals removal system for further treatment. Vents for the Per/Tri stripper system are sent to incineration. Recovered organics are routed to the Waste Recovery Unit.

#### Per/Tri TCA Destruction System

Trichloroacetic acid (TCA), an undesired by-product, is removed in the Per/Tri TCA destruction system from the affected wastewater stream. This system heats the water to a defined temperature and provides the necessary capacity to hold the wastewater at this temperature for a prescribed retention time. This process allows the TCA to break down to chloroform. The wastewater is then cooled and sent to the Per/Tri stripper system.

## LAKE CHARLES COMPLEX - DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255

Activity No. PER20090031 Proposed Permit No. 2269-V3

#### Sodium Formate Destruction System

The sodium formate destruction system consists of a series of retention vessels and static mixers. It treats the effluent from the CSS steam strippers to remove sodium formate. The CSS stripper bottoms stream flows to this system where, in a series of static mixers, acid and either bleach or a combination of chlorine and caustic or both, are added. The wastewater then flows through a series of retention vessels in which the sodium formate destruction takes place.

#### Dechlorination System

The dechlorination system uses a chemical additive to convert bleach from the sodium formate destruction section and from PPG's incinerator scrubbing systems to sodium chloride. The first of two series of vessels accepts metals-contaminated wastewater. The wastewater stream is treated before it reaches the first series of dechlorination process vessels. The dechlorination is accomplished as the water flows through the mix/reaction vessels. The water is then routed to the BAT metals removal section.

The second dechlorination system treats nonmetals contaminated water. Water is treated to remove chlorine as the water flows through the tanks. This stream is then routed to an NPDS monitored outfall.

#### **BAT Metals Removal**

The BAT metals removal process is used to treat metals contaminated wastewater. A pH adjustment system and water treatment additives are used to enhance the flocculation and subsequent precipitation of metals. Settlers and filters are used to remove the metals before the wastewater is sent to further treatment prior to discharge to an NPDES outfall.

#### Groundwater Collection System

The groundwater collection system is used to collect groundwater pumped from remediation wells at various locations in the Complex. The water is removed either by pumps or vacuum systems. In most cases, the well water is transferred first to a collection tank, then is treated by an air stripper. The vent from the stripper is utilized as a portion of the combustion air for No. 3 Halogen Acid Furnace.

# LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### Vacuum Trucks

Vacuum trucks are used in various areas around the plant to facilitate maintenance activities, to transfer liquid streams, and to remove solids. Use of vacuum trucks is limited to those instances where pumping systems are not available or impractical.

#### **Proposed Modifications**

This permit modification adds a catalyst separator to the permit for the referenced facility. The proposed catalyst separator operates via a screening process, which removes the catalyst from the reactor catalyst bed to either drums or roll-off boxes for transport and temporary storage of the unprocessed materials. Once screening operations begin, a vacuum unit uses nitrogen to remove reactor-dumped catalyst from the drums of roll-off boxes into the separator. The separator vibrates about its center of mass in order to ultimately separate the catalyst with the use of a mesh sieve inside the separator. The larger particles are separated from the smaller "fines" and discharged from the side of the unit into drums which are weighed to specification, labeled, and stored on pallets for recycling to one of the reactors. The smaller undesirable "fines" fall through the sieve into a roll-off box. Most of the fines will be disposed, but in some circumstances where there is a need for a certain proportion of smaller fines in the catalyst blend for the recharging of the beds, such fines may be reused.

The "catalyst screening" with the catalyst separator is a viable means of managing the material to minimize off-site disposal and a cost savings project which reduces virgin catalyst purchase and waste disposal costs.

A carbon drum system is also incorporated into the permit and is used as an alternative device to control emissions from the Groundwater Collection Tank 56A-T-63065, which is in remediation service at PPG's South Terminal. The primary control device for this tank is the Flameless Thermal Oxidizer (EQT353).

In addition, the reconciliation of certain emission limits, due to new test data, improved emission factors, and other improved information, is made in this permit modification.

#### VI. ATTAINMENT STATUS OF PARISH

Pollutant Attainment Status		Designation	
$PM_{2.5}$	Attainment	N/A	
$PM_{10}$	Attainment	N/A	
$SO_2$	Attainment	N/A	

### LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

#### LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

Pollutant Attainment Status		<u>Designation</u>	
$NO_2$	Attainment	N/A	
CO	Attainment	N/A	
Ozone <sup>2</sup>	Attainment	N/A	
Lead	Attainment	N/A	

#### VII. PERMITTED AIR EMISSIONS

Sources of air emissions are listed on the "Inventories" page of the proposed permit.

Estimated emissions from the Derivatives Plant Common Sources in tons per year are as follows:

Pollutant	Before	After	Change
$PM_{10}$	< 0.01	< 0.01	•
$SO_2$	< 0.01	< 0.01	-
$NO_X$	< 0.01	0.09	+ 0.09
CO	0.03	0.05	+ 0.02
VOC	65.12	68.93	+ 3.81

LAC 33:III.Chapter 51-regulated toxic air pollutants (TAP), including all toxic PM<sub>10</sub> and VOC compounds, are listed below. This list encompasses all Hazardous Air Pollutants (HAP) regulated pursuant to Section 112 of the Clean Air Act. Note, however, all TAPs are not HAPs (e.g., ammonia, hydrogen sulfide).

Pollutant	Before	After	Change
1,1,1-Trichloroethane	4.72	4.14	- 0.58
1,1,2,2-Tetrachloroethane	2.86	2.98	+ 0.12
1,1,2-Trichloroethane	6.97	6.93	- 0.04
1,1-Dichloroethane	3.56	3.43	- 0.13
1,2,4-Trichlorobenzene	•	0.11	+ 0.11
1,2-Dibromo-3-chloropropane	-	0.01	+ 0.01
1.2-Dichloroethane	13.43	13.130	- 0.300
1.2-Epoxybutane	0.05	0.05	-
1.3-Butadiene	-	< 0.001	< 0.001
1,4-Dichlorobenzene	-	0.03	+ 0.03
1,4-Dioxane	0.01	0.01	-
2,2'-dichlorodiethylether	-	10.0 >	< 0.01
2-nitro-Propane	0.16	0.16	•

<sup>&</sup>lt;sup>2</sup> VOC and NO<sub>X</sub> are regulated as surrogates.

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

#### LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

Pollutant	Before	After	Change
Allyl Chloride	*	< 0.001	< 0.01
Ammonia	1.42	1.42	•
Benzene	< 0.01	0.01	÷ 0.01
Biphenyl	0.10	0.10	
Carbon Disulfide	< 0.01	< 0.01	=
Carbon Tetrachloride	1.41	1.43	+ 0.02
Chlorine	0.29	0.29	-
Chlorobenzene	< 0.01	< 0.001	-
Chloroethane	2.47	2.45	- 0.02
Chloroform	1.17	1.17	-
Chloroprene	•	< 0.01	< 0.01
Dichloromethane		0.01	
Hexachlorobutadiene	1.01	1.534	+ 0.524
Hexachloroethane	1.05	1.05	-
Hydrochloric acid	2.87	2.87	•
Methyl Chloride	< 0.01	< 0.01	•
Tetrachloroethylene	8.11	8.88	+ 0.77
Toluene	0.02	0.02	-
Trichloroethylene	6.64	7.00	+ 0.36
Vinyl Chloride	3.41	3.26	- 0.15
Vinylidene Chloride	3.59	2.94	- 0.65

This facility is part of a major source of criteria pollutants, part of a major source of HAPs, and part of a major source of TAPs.

Permitted limits for individual emissions units and groups of emissions units. if applicable, are set forth in the tables of the proposed permit entitled "Emission Rates for Criteria Pollutants" and "Emission Rates for TAP/HAP & Other Pollutants." These tables are part of the permit.

Emissions calculations can be found in Appendix A of the permit application. The calculations address the manufacturer's specifications, fuel composition (e.g., sulfur content), emissions factors, and other assumptions on which the emissions limitations are based and have been reviewed by the permit writer for accuracy.

#### **General Condition XVII Activities**

Very small emissions to the air resulting from routine operations that are predictable, expected, periodic, and quantifiable and that are submitted by the applicant and approved by the Air Permits Division are considered authorized discharges. These releases are not included in the permit totals because they are small and will have an insignificant impact on air quality. However, such emissions are considered when determining the facility's potential to emit for evaluation of applicable requirements. Approved General Condition XVII activities are noted in Section VIII of the proposed permit.

### LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

LAKE CHARLES, CALCASIEU PARISH, LOUISIANA
Agency Interest (AI) No. 1255
Activity No. PER20090031
Proposed Permit No. 2269-V3

#### **Insignificant Activities**

The emissions units or activities listed in Section IX of the proposed permit have been classified as insignificant pursuant to LAC 33:III.501.B.5. By such listing, the LDEQ exempts these sources or types of sources from the requirement to obtain a permit under LAC 33:III.Chapter 5. However, such emissions are considered when determining the facility's potential to emit for evaluation of applicable requirements.

#### VIII. REGULATORY APPLICABILITY

Regulatory applicability is discussed in three sections of the proposed permit: Section X (Table 1), Section XI (Table 2), and Specific Requirements. Each is discussed in more detail below.

#### Section X (Table 1): Applicable Louisiana and Federal Air Quality Requirements

Section X (Table 1) summarizes all applicable federal and state regulations. In the matrix, a "1" represents a regulation applies to the emissions unit. A "1" is also used if the emissions unit is exempt from the emissions standards or control requirements of the regulation, but monitoring, recordkeeping, and/or reporting requirements apply.

A "2" is used to note that the regulation has requirements that would apply to the emissions unit, but the unit is exempt from these requirements due to meeting a specific criterion, such as it has not been constructed, modified, or reconstructed since the regulation has been effective. If the specific criterion changes the emissions unit will have to comply with the regulation at a future date. Each "2" entry is explained in Section XI (Table 2).

A "3" signifies that the regulation applies to this general type of source (e.g., furnace, distillation column, boiler, fugitive emissions, etc.), but does not apply to the particular emissions unit. Each "3" entry is explained in Section XI (Table 2).

If blank, the regulation clearly does not apply to this type of emissions unit.

#### Section XI (Table 2): Explanation for Exemption Status or Non-Applicability of a Source

Section XI (Table 2) of the proposed permit provides explanation for either the exemption status or non-applicability of given federal or state regulation cited by 2 or 3 in the matrix presented in Section X (Table 1).

#### Specific Requirements

Applicable regulations, as well as any additional monitoring, recordkeeping, and reporting requirements necessary to demonstrate compliance with both the federal and state terms and conditions of the proposed permit, are provided in the "Specific Requirements" section. Any operating limitations (e.g., on hours of operation or

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

#### LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

throughput) are also set forth in this section. Associated with each Specific Requirement is a citation of the federal or state regulation upon which the authority to include that Specific Requirement is based.

#### 1. Federal Regulations

#### 40 CFR 60 – New Source Performance Standards (NSPS)

The following subparts are applicable at the facility: A and VV. However, 40 CFR 60 Subpart VV is superseded by 40 CFR 63 Subpart H, which is applicable to the facility.

#### 40 CFR 61 - National Emission Standards for Hazardous Air Pollutants (NESHAP)

The following subparts are applicable at the facility: A and V. However, 40 CFR 61 Subpart V is superseded by 40 CFR 63 Subpart H, which is applicable to the facility.

#### 40 CFR 63 - Maximum Achievable Control Technology (MACT)

The following subparts are applicable at the facility: A, G, and H. Applicable emission standards, monitoring, test methods and procedures, recordkeeping, and reporting requirements are summarized in the "Specific Requirements" section of the proposed permit.

#### Clean Air Act §112(g) or §112(j) – Case-By-Case MACT Determinations

A case-by-case MACT determination pursuant to §112(g) or §112(j) of the Clean Air Act was not required.

#### 40 CFR 64 – Compliance Assurance Monitoring (CAM)

Per 40 CFR 64.2(a), CAM applies to each pollutant-specific emissions unit (PSEU) that 1) is subject to an emission limitation or standard, 2) uses a control devices to achieve compliance, and 3) has potential pre-control device emissions that are equal to or greater than 100 percent of the amount, in TPY, required for a source to be classified as a major source.

There are no emissions units in this facility that are subject to CAM.

#### Acid Rain Program

The Acid Rain Program, 40 CFR Part 72 – 78, applies to the fossil fuel-fired combustion devices listed in Tables 1-3 of 40 CFR 73.10 and other utility units, unless a unit is determined not to be an affected unit pursuant to 40 CFR 72.6(b). LDEQ has incorporated the Acid Rain Program by reference at LAC 33:III.505. The facility is not subject to the Acid Rain Program.

## LAKE CHARLES COMPLEX - DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### 2. SIP-Approved State Regulations

Applicable state regulations are also noted in Section X (Table 1) of the proposed permit. Some state regulations have been approved by the U.S. Environmental Protection Agency (EPA) as part of Louisiana's State Implementation Plan (SIP). These regulations are referred to as "SIP-approved" and are enforceable by both LDEQ and EPA. All LAC 33:III.501.C.6 citations are federally enforceable unless otherwise noted.

#### 3. State-Only Regulations

Individual chapters or sections of LAC 33:III noted by an asterisk in Section X (Table 1) are designated "state-only" pursuant to 40 CFR 70.6(b)(2). Terms and conditions of the proposed permit citing these chapters or sections are not SIP-approved and are not subject to the requirements of 40 CFR Part 70. These terms and conditions are enforceable by LDEQ, but not EPA. All conditions not designated as "state-only" are presumed to be federally enforceable.

#### State MACT (LAC 33:III.Chapter 51)

The facility is part of a major source of LAC 33:III.Chapter 51 regulated TAP. The owner or operator of any major source that emits or is permitted to emit a Class I or Class II TAP at a rate equal to or greater than the Minimum Emission Rate (MER) listed for that pollutant in LAC 33:III.5112 shall control emissions of that TAP to a degree that constitutes Maximum Achievable Control Technology (MACT), except that compliance with an applicable federal standard promulgated by the U.S. EPA in 40 CFR Part 63 shall constitute compliance with MACT for emissions of toxic air pollutants. Applicable Part 63 standards are addressed in Section VIII.1 of this Statement of Basis. MACT is not required for Class III TAPs; however, the impact of all TAP emissions must be below their respective Ambient Air Standards (AAS).

MACT determinations were made pursuant to Chapter 51 and are cited as LAC 33:III.5109.A in the proposed permit.

#### IX. NEW SOURCE REVIEW (NSR)

#### 1. Prevention of Significant Deterioration (PSD)

The facility's source category is listed in Table A of the definition of "major stationary source" in LAC 33:III.509. As such, the PSD major source threshold is 100 TPY (of any regulated NSR pollutant).

The facility is a major stationary source under the PSD program, LAC 33:III.509. The emissions increases associated with the proposed physical changes and/or changes in the method of operation (without regard to decreases) are as follows:

### LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

#### LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

Pollutant	Project Increase	PSD Significance Level	Netting Required?
$PM_{10}$	< 0.01	15	No
VOC	3.73	40	No

Increases of PM<sub>10</sub> and VOC associated with the proposed project did not trigger a netting analysis; thus, further review is not required.

#### 2. Nonattainment New Source Review (NNSR)

The facility is located in an attainment area; therefore, NNSR does not apply.

#### 3. Notification of Federal Land Manager

The Federal Land Manager (FLM) is responsible for evaluating a facility's projected impact on the Air Quality Related Values (AQRV) (e.g., visibility, sulfur and nitrogen deposition, any special considerations concerning sensitive resources, etc.') and recommending that LDEQ either approve or disapprove the facility's permit application based on anticipated impacts. The FLM also may suggest changes or conditions on a permit. However, LDEQ makes the final decision on permit issuance. The FLM also advises reviewing agencies and permit applicants about other FLM concerns, identifies AQRV and assessment parameters for permit applicants, and makes ambient monitoring recommendations.

If LDEQ receives a PSD or NNSR permit application for a facility that "may affect" a Class I area, the FLM charged with direct responsibility for managing these lands is notified.

The meaning of the term "may affect" is interpreted by EPA policy to include all major sources or major modifications which propose to locate within 100 kilometers (km) of a Class I area. However, if a major source proposing to locate at a distance greater than 100 km is of such size that LDEQ or the FLM is concerned about potential impacts on a Class I area, LDEQ can ask the applicant to perform an analysis of the source's potential emissions impacts on the Class I area. This is because certain meteorological conditions, or the quantity or type of air emissions from large sources located further than 100 km, may cause adverse impacts. In order to determine whether a source located further than 100 km may affect a Class I area, LDEQ uses the Q/d approach.

Q/d refers to the ratio of the sum of the net emissions increase (in tons) of  $PM_{10}$ ,  $SO_2$ ,  $NO_X$ , and  $H_2SO_4$  to the distance (in kilometers) of the facility from the nearest boundary of the Class I area.

See http://www2.nature.nps.gov/air/Permits/ARIS/AQRV.cfm.

### LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

LAKE CHARLES, CALCASIEU PARISH, LOUISIANA
Agency Interest (AI) No. 1255
Activity No. PER20090031

Proposed Permit No. 2269-V3

$$Q/d = \frac{PM_{10 \text{ (NEI)}} + SO_{2 \text{ (NEI)}} + NO_{X \text{ (NEI)}} + H_{2}SO_{4 \text{ (NEI)}}^{4}}{\text{Class I km}}$$

#### Where:

 $PM_{10 (NEI)}$  = net emissions increase of  $PM_{10}$   $SO_{2 (NEI)}$  = net emissions increase of  $SO_{2}$   $NO_{X (NEI)}$  = net emissions increase of  $NO_{X}$  $H_{2}SO_{4 (NEI)}$  = net emissions increase of  $H_{2}SO_{4}$ 

Class I km = distance to nearest Class I area (in kilometers)

If  $Q/d \ge 4$ , LDEQ will formally notify the FLM in accordance with LAC 33:III.509.P.1.

The proposed project does not trigger PSD review or NNSR. Therefore, LDEQ has determined that the proposed project will not adversely impact visibility in Breton National Wildlife Refuge/Caney Creek Wilderness Area, the nearest Class I area.

#### 4. Reasonable Possibility

As previously mentioned, increases of PM<sub>10</sub> and VOC associated with the proposed project does not trigger PSD review or NNSR. Because the applicant elected to use "potential to emit" in lieu of "projected actual emissions" to determine the project increase, there is no "reasonable possibility" that the proposed project may result in a significant emissions increase.

#### X. ADDITIONAL MONITORING AND TESTING REQUIREMENTS

In addition to the monitoring and testing requirements set forth by applicable state and federal regulations (see Section VIII of this Statement of Basis), a number of "LAC 33:III.507.H.1.a" and/or "LAC 33:III.501.C.6" conditions may appear in the "Specific Requirements" section of the proposed permit. These conditions have been added where no applicable regulation exists or where an applicable regulation does not contain sufficient monitoring, recordkeeping, and/or reporting provisions to ensure compliance. LAC 33:III.507.H.1.a provisions, which may include recordkeeping requirements, are intended to fulfill Part 70 periodic monitoring obligations under 40 CFR 70.6(a)(3)(i)(B).

If both NNSR and PSD review are required, the higher of the two "net emissions increase" values has been selected. The net emissions increase for NNSR and PSD purposes may be different due to differing contemporaneous periods. If the net emissions increase of any pollutant is negative, the value used in the equation has been set to zero. If the project did not trigger a netting analysis, LDEQ uses the project increase (see §504.A.3 (NNSR) and §509.A.4 (PSD)). In this case, the value will be less than the pollutant's significance level.

## LAKE CHARLES COMPLEX - DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### XI. OPERATIONAL FLEXIBILITY

#### **Emissions Caps**

An emissions cap is a permitting mechanism to limit allowable emissions of two or more emissions units below their collective potential to emit (PTE). The proposed permit does not establish an emissions cap.

#### **Alternative Operating Scenarios**

LAC 33:III.507.G.5 allows the owner or operator to operate under any operating scenario incorporated in the permit. Any reasonably anticipated alternative operating scenarios may be identified by the owner or operator through a permit application and included in the permit. The proposed permit does not include an alternative operating scenario.

#### Streamlined Requirements

When applicable requirements overlap or conflict, the permitting authority may choose to include in the permit the requirement that is determined to be most stringent or protective as detailed in EPA's "White Paper Number 2 for Improved Implementation of the Part 70 Operating Permits Program" (March 5, 1996). The overall objective is to determine the set of permit terms and conditions that will assure compliance with all applicable requirements for an emissions unit or group of emissions units so as to eliminate redundant or conflicting requirements. The proposed permit contains the following streamlined provisions.

Louisiana Consolidated Fugitive Emission Program (LCFEP)

Compliance with the streamlined program shall constitute compliance with each of the fugitive emission monitoring programs being streamlined. Fugitive emissions are subject to the requirements of 40 CFR 63 Subpart H and LAC 33:III.2122. Among these regulations, 40 CFR 63 Subpart H establishes the most stringent leak detection and repair standards. Therefore, fugitive emissions shall be monitored as required by this program.

Unit or Plant Site	Program Being Consolidated	Stream Applicability	Overall Most Stringent Program
Derivatives Plant	LAC 33:III.2122 - Fugitive Emission Control for Ozone Nonattainment Areas and Specified Parish	≥ 10% VOC	40 CFR 63 Subpart H - HON
	40 CFR 63 Subpart H – HON	≥ 5% VOHAP	

#### XII. PERMIT SHIELD

A permit shield, as described in 40 CFR 70.6(f) and LAC 33:III.507.I, provides an "enforcement shield" which protects the facility from enforcement action for violations of applicable federal requirements. It is intended to protect the facility from liability for

# LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

violations if the permit does not accurately reflect an applicable federal or federally enforceable requirement.

The proposed permit does not grand a permit shield.

#### XIII. IMPACTS ON AMBIENT AIR

Emissions associated with the proposed modification were reviewed by the Air Quality Assessment Division to ensure compliance with the NAAQS and AAS. LDEQ did not require the applicant to model emissions.

#### XIV. COMPLIANCE HISTORY AND CONSENT DECREES

The Facility's compliance history can be found in Section 2 of the permit application. It must be disclosed per LAC 33:III.517.E and 517.D.12, if applicable.

No federal or state actions have been issued since the current permit for the Facility was issued.

#### XV. REQUIREMENTS THAT HAVE BEEN SATISFIED

The following state and/or federal obligations have been satisfied and are therefore not included as Specific Requirements.

Source ID Citation Description

None

#### XVI. OTHER REQUIREMENTS

Executive Order No. BJ 2008-7 directs all state agencies to administer their regulatory practices, programs, contracts, grants, and all other functions vested in them in a manner consistent with Louisiana's Comprehensive Master Plan for a Sustainable Coast and public interest to the maximum extent possible. If a proposed facility or modification is located in the Coastal Zone, LDEQ requires the applicant to document whether or not a Coastal Use Permit is required, and if so, whether it has been obtained. Coastal Use Permits are issued by the Coastal Management Division of the Louisiana Department of Natural Resources (LDNR).

The facility is not located in the Coastal Zone; therefore, a Coastal Use Permit is not required.

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### XVII. PUBLIC NOTICE/PUBLIC PARTICIPATION

Written comments, written requests for a public hearing, or written requests for notification of the final decision regarding this permit action may be submitted to:

Ms. Soumaya Ghosn LDEQ, Public Participation Group P.O. Box 4313 Baton Rouge, Louisiana 70821-4313

Written comments and/or written requests must be received prior to the deadline specified in the public notice. If LDEQ finds a significant degree of public interest, a public hearing will be held. All comments will be considered prior to a final permit decision.

LDEQ will send notification of the final permit decision to the applicant and to each person who has submitted written comments or a written request for notification of the final decision.

The permit application, proposed permit, and this Statement of Basis are available for review at LDEQ, Public Records Center, Room 127, 602 North 5th Street, Baton Rouge, Louisiana. Viewing hours are from 8:00 a.m. to 4:30 p.m., Monday through Friday (except holidays). Additional copies may be viewed at the local library identified in the public notice. The available information can also be accessed electronically via LDEQ's Electronic Document Management System (EDMS) on LDEQ's public website, www.deq.louisiana.gov.

Inquiries or requests for additional information regarding this permit action should be directed to the contact identified on page 1 of this Statement of Basis.

Persons wishing to be included on the public notice mailing list or for other public participation-related questions should contact LDEQ's Public Participation Group at P.O. Box 4313, Baton Rouge, LA 70821-4313; by e-mail at maillistrequest@ldeq.org; or contact LDEQ's Customer Service Center at (225) 219-LDEQ (219-5337). Alternatively, individuals may elect to receive public notices via e-mail by subscribing to LDEQ's Public Notification List Service at <a href="http://www.doa.louisiana.gov/oes/listservpage/ldeq\_pn\_listserv.htm">http://www.doa.louisiana.gov/oes/listservpage/ldeq\_pn\_listserv.htm</a>.

Permit public notices can be viewed at LDEQ's "Public Notices" webpage, http://www.deq.louisiana.gov/apps/pubNotice/default.asp. Electronic access to each proposed permit and Statement of Basis current on notice is also available on this page. General information related to public participation in permitting activities can be viewed at www.deq.louisiana.gov/portal/tabid/2198/Default.aspx.

**NMOC** 

#### STATEMENT OF BASIS

### LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### APPENDIX A - ACRONYMS

Ambient Air Standard (LAC 33:III.Chapter 51) AAS EPA document number of the Compilation of Air Pollutant Emission Factors AP-42 Best Available Control Technology BACT **British Thermal Units** BTU Clean Air Act CAA Clean Air Act Amendments CAAA CAM Compliance Assurance Monitoring, 40 CFR 64 Continuous Emission Monitoring System CEMS Continuous Monitoring System CMS CO Carbon monoxide Continuous Opacity Monitoring System COMS **CFR** Code of Federal Regulations Emissions Inventory (LAC 33:III.919) ΕI (United States) Environmental Protection Agency **EPA Emission Inventory Questionnaire** EIQ **Emission Reduction Credit ERC** Federal Register or Fixed Roof FR Hydrogen sulfide H<sub>2</sub>S Sulfuric acid H<sub>2</sub>SO<sub>4</sub> Hazardous Air Pollutants HAP Mercury Hg HON Hazardous Organic NESHAP Incorporation by Reference IBR Lowest Achievable Emission Rate LAER Louisiana Department of Environmental Quality LDEO M Thousand MM Million Maximum Achievable Control Technology MACT MEK Methyl ethyl ketone Methyl isobutyl ketone MIK Material Safety Data Sheet MSDS Methyl tert-butyl ether MTBE National Ambient Air Quality Standards NAAOS North American Industrial Classification System (replacement to SICC) NAICS National Emission Standards for Hazardous Air Pollutants NESHAP

Non-Methane Organic Compounds

## LAKE CHARLES COMPLEX – DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC.

#### LAKE CHARLES, CALCASIEU PARISH, LOUISIANA

Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### APPENDIX A - ACRONYMS

NOx Nitrogen Oxides

NNSR Nonattainment New Source Review NSPS New Source Performance Standards

NSR New Source Review

OEA LDEQ Office of Environmental Assessment
OEC LDEQ Office of Environmental Compliance
OES LDEO Office of Environmental Services

PM Particulate Matter

PM10 Particulate Matter less than 10 microns in nominal diameter PM2.5 Particulate Matter less than 2.5 microns in nominal diameter

ppm parts per million

ppmv parts per million by volume ppmw parts per million by weight

PSD Prevention of Significant Deterioration

PTE Potential to Emit

RACT Reasonably Available Control Technology

RBLC RACT-BACT-LAER Clearinghouse RMP Risk Management Plan (40 CFR 68) SICC Standard Industrial Classification Code

SIP State Implementation Plan

SO2 Sulfur Dioxide

SOCMI Synthetic Organic Chemical Manufacturing Industry

TAP Toxic Air Pollutants (LAC 33:III.Chapter 51)

TOC Total Organic Compounds

TPY Tons Per Year

TRS Total Reduced Sulfur

TSP Total Suspended Particulate
μg/m3 Micrograms per Cubic Meter
UTM Universal Transverse Mercator
VOC Volatile Organic Compound
VOL Volatile Organic Liquid
VRU Vapor Recovery Unit

# LAKE CHARLES COMPLEX - DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### APPENDIX B – GLOSSARY

Best Available Control Technologies (BACT) – an emissions limitation (including a visible emission standard) based on the maximum degree of reduction for each pollutant subject to regulation under this Part (Part III) which would be emitted from any proposed major stationary source or major modification which the administrative authority, on a case-by-case basis, taking into account energy, environmental, and economic impacts and other costs, determines is achievable for such source or modification through application of production processes or available methods, systems, and techniques, including fuel cleaning or treatment or innovative fuel combustion techniques for control of such pollutant.

CAM - Compliance Assurance Monitoring - A federal air regulation under 40 CFR Part 64.

Carbon Monoxide (CO) – (Carbon monoxide) a colorless, odorless gas produced by incomplete combustion of any carbonaceous (gasoline, natural gas, coal, oil, etc.) material.

Cooling Tower - A cooling system used in industry to cool hot water (by partial evaporation) before reusing it as a coolant.

Continuous Emission Monitoring System (CEMS) – The total combined equipment and systems required to continuously determine air contaminants and diluent gas concentrations and/or mass emission rate of a source effluent.

Cyclone – A control device that uses centrifugal force to separate particulate matter from the carrier gas stream.

Federally Enforceable Specific Condition – A federally enforceable specific condition written to limit the potential to Emit (PTE) of a source that is permanent, quantifiable, and practically enforceable. In order to meet these requirements, the draft permit containing the federally enforceable specific condition must be placed on public notice and include the following conditions:

- A clear statement of the operational limitation or condition which limits the source's potential to emit;
- Recordkeeping requirements related to the operational limitation or condition;
- A requirement that these records be made available for inspection by LDEQ personnel;
- A requirement to report for the previous calendar year.

Grandfathered Status – those facilities that were under actual construction or operation as of June 19, 1969, the signature date of the original Clean Air Act. These facilities are not required to obtain a permit. Facilities that are subject to Part 70 (Title V) requirements lose grandfathered status and must apply for a permit.

# LAKE CHARLES COMPLEX - DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### APPENDIX B - GLOSSARY

Lowest Achievable Emission Rate (LAER) - for any source, the more stringent rate of emissions based on the following:

- a. the most stringent emissions limitation that is contained in the implementation plan of any state for such class or category of major stationary source, unless the owner or operator of the proposed stationary source demonstrates that such limitations are not achievable; or
- b. the most stringent emissions limitation that is achieved in practice by such class or category of stationary source. This limitation, when applied to a modification, means the lowest achievable emissions rate for the new or modified emissions units within the stationary source. In no event shall the application of this term permit a proposed new or modified major stationary source to emit any pollutant in excess of the amount allowable under an applicable new source standard of performance.

NESHAP - National Emission Standards for Hazardous Air Pollutants - Air emission standards for specific types of facilities, as outlined in 40 CFR Parts 61 through 63.

Maximum Achievable Control Technology (MACT) – the maximum degree of reduction in emissions of each air pollutant subject to LAC 33:III. Chapter 51 (including a prohibition on such emissions, where achievable) that the administrative authority, upon review of submitted MACT compliance plans and other relevant information and taking into consideration the cost of achieving such emission reduction, as well as any non-air-quality health and environmental impacts and energy requirements, determines is achievable through application of measures, processes, methods, systems, or techniques.

NSPS - New Source Performance Standards - Air emission standards for specific types of facilities, as outlined in 40 CFR Part 60.

New Source Review (NSR) – a preconstruction review and permitting program applicable to new or modified major stationary sources of criteria air pollutants regulated under the Clean Air Act (CAA). NSR is required by Parts C ("Prevention of Significant Deterioration of Air Quality") and D ("Nonattainment New Source Review").

Nonattainment New Source Review (NNSR) – a New Source Review permitting program for major sources in geographic areas that do not meet the National Ambient Air Quality Standards (NAAQS) set forth at 40 CFR Part 50. NNSR is designed to ensure that emissions associated with new or modified sources will be regulated with the goal of improving ambient air quality.

Organic Compound - any compound of carbon and another element. Examples: methane ( $CH_4$ ), ethane ( $C_2H_6$ ), carbon disulfide ( $CS_2$ ).

Part 70 Operating Permit also referred to as a Title V permit, required for major sources as defined in 40 CFR 70 and LAC 33:III.507.

# LAKE CHARLES COMPLEX - DERIVATIVES PLANT COMMON SOURCES PPG INDUSTRIES, INC. LAKE CHARLES, CALCASIEU PARISH, LOUISIANA Agency Interest (AI) No. 1255 Activity No. PER20090031 Proposed Permit No. 2269-V3

#### APPENDIX B - GLOSSARY

 $PM_{I0}$  -particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers as measured by the method in Title 40, Code of Federal Regulations, Part 50, Appendix J.

Potential to Emit (PTE) – the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design.

Prevention of Significant Deterioration (PSD) – a New Source Review permitting program for major sources in geographic areas that meet the National Ambient Air Quality Standards (NAAQS) at 40 CFR Part 50. PSD requirements are designed to ensure that the air quality in attainment areas will not degrade.

Selective Catalytic Reduction (SCR) – A non-combustion control technology that destroys  $NO_X$  by injecting a reducing agent (e.g., ammonia) into the flue gas that, in the presence of a catalyst (e.g., vanadium, titanium, or zeolite), converts  $NO_X$  into molecular nitrogen and water.

Sulfur Dioxide (SO<sub>2</sub>) - An oxide of sulphur.

TAP - LDEQ acronym for toxic air pollutants regulated under LAC 33 Part III, Chapter 51, Tables 1 through 3.

"Top Down" Approach – An approach which requires use of the most stringent control technology found to be technically feasible and appropriate based on environmental, energy, economic, and cost impacts.

Title V permit - see Part 70 Operating Permit.

Volatile Organic Compound (VOC) – any organic compound which participates in atmospheric photochemical reactions; that is, any organic compound other than those which the Administrator of the U.S. Environmental Protection Agency designates as having negligible photochemical reactivity.